

## EAST Search History

| Ref # | Hits | Search Query  | DBs  | Default Operator | Plurals | Time Stamp          |
|-------|------|---|--|------------------|---------|---------------------|
| L2    | 0    | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and remind\$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine\$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic \$ or history or data or pattern or facts or info or record or file or information or particulars or element or detail\$ or agreement or priority or priorit\$ or criteri \$2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom \$2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or freight and value or receipt near3 shipment) and trad\$3 near3 partner and expir\$5 and (inform\$3 near3 regist \$5) and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND              | ON      | 2009/05/12<br>18:30 |

|    |   |   |  |     |    |                     |
|----|---|---|--|-----|----|---------------------|
| L3 | 0 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and remind\$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine\$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic \$ or history or data or pattern or facts or info or record or file or information or particulars or element or detail\$ or agreement or priority or priorit\$ or criteri \$2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom \$2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or freight and value or receipt near3 shipment) and trad\$3 near3 partner and expir\$5 and (inform\$3 near7 regist \$5) and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/05/12<br>18:31 |
| L4 | 0 | (supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or   | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/05/12<br>18:31 |

|    |   |  |  |     |    |                             |
|----|---|--|--|-----|----|-----------------------------|
|    |   | <p>configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and remind\$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine\$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic \$ or history or data or pattern or facts or info or record or file or information or particulars or element or detail\$ or agreement or priority or priorit\$ or criteri \$2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom \$2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or freight and value or receipt near3 shipment) and trad\$3 near3 partner and expir\$5 and (inform\$3 near7 regist \$5)) and (@ad&lt;"20030829" or @rlad&lt;"20030829")</p> |  |     |    |                             |
| L5 | 0 | <p>(supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and remind\$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine\$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic \$ or history or data or</p>  | <p>US-PGPUB;<br/>USPAT; FPRS;<br/>DERWENT;<br/>IBM_TDB</p> | AND | ON | <p>2009/05/12<br/>18:32</p> |

|    |   |  |  |     |    |                             |
|----|---|--|--|-----|----|-----------------------------|
|    |   | <p>pattern or facts or info or record or file or information or particulars or element or detail\$ or agreement or priority or priorit\$ or criteri\$2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom\$2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or freight and value or receipt near3 shipment) and trad\$3 near3 partner and expir\$5 and (comunicat\$3 near7 regist\$5)) and (@ad&lt; "20030829" or @rlad&lt; "20030829")</p>  |  |     |    |                             |
| L6 | 8 | <p>(supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad\$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis\$2 or individualiz\$2 or configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and remind\$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine\$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic\$ or history or data or pattern or facts or info or record or file or information or particulars or element or detail\$ or agreement or priority or priorit\$ or criteri\$2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom\$2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or</p> | <p>US-PGPUB;<br/>USPAT; FPRS;<br/>DERWENT;<br/>IBM_TDB</p> | AND | ON | <p>2009/05/12<br/>18:33</p> |

|     |       |  |  |     |    |                     |
|-----|-------|--|--|-----|----|---------------------|
|     |       | freight and value or receipt<br>near3 shipment) and trad\$3<br>near3 partner and expir\$5<br>and (communicat\$3 near7<br>regist\$5)) and<br>(@ad<"20030829" or<br>@rlad<"20030829")                              |  |     |    |                     |
| L7  | 32902 | server near3 regist\$7   | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/05/12<br>18:46 |
| L8  | 636   | server near3 regist\$7 and<br>trading and second and<br>(@ad<"20030829" or<br>@rlad<"20030829")  | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/05/12<br>18:48 |
| L9  | 2280  | server near3 regist\$7 and<br>trad\$3 and second and<br>(inform\$3 or communicat\$3)<br>and (@ad<"20030829" or<br>@rlad<"20030829")  | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/05/12<br>18:48 |
| L10 | 110   | server near3 regist\$7 and<br>trad\$3 and second and<br>(inform\$3 or communicat\$3)<br>and supply adj chain near3<br>manage\$4 and<br>(@ad<"20030829" or<br>@rlad<"20030829")                                   | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/05/12<br>18:49 |
| L11 | 110   | (server near3 regist\$7 and<br>trad\$3 and second and<br>(inform\$3 or communicat\$3)<br>and supply adj chain near3<br>manage\$4) and<br>(@ad<"20030829" or<br>@rlad<"20030829")                                 | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/05/12<br>18:54 |
| L12 | 109   | (server near3 regist\$7 and<br>trad\$3 and (second same<br>first) and (inform\$3 or<br>communicat\$3) and supply<br>adj chain near3 manage\$4)<br>and (@ad<"20030829" or<br>@rlad<"20030829")                    | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/05/12<br>18:55 |
| L13 | 1     | (server near3 regist\$7 and<br>trad\$3 and ((second same<br>first) near3 trading) and<br>(inform\$3 or communicat\$3)<br>and supply adj chain near3<br>manage\$4) and<br>(@ad<"20030829" or<br>@rlad<"20030829") | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/05/12<br>18:56 |
| L14 | 0     | "20000116205"  | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/05/12<br>19:11 |

|     |      |  |  |     |     |                     |
|-----|------|--|--|-----|-----|---------------------|
| L15 | 0    | "2000/0116205"   | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2009/05/12<br>19:11 |
| L16 | 34   | "2002/0116205"   | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2009/05/12<br>19:11 |
| L17 | 2    | "20020116205"  | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2009/05/12<br>19:11 |
| S1  | 0    | (09/765341).CCLS.  | USPAT;<br>USOCR; FPRS                            | OR  | OFF | 2008/11/18<br>11:19 |
| S2  | 2    | 09/765341  | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2008/11/18<br>11:20 |
| S3  | 11   | 09/965854  | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2008/11/18<br>11:20 |
| S4  | 7    | 09/850521  | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2008/11/18<br>11:21 |
| S5  | 3583 | supply adj chain near3<br>manage\$4 and data   | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2008/11/18<br>14:59 |
| S6  | 2404 | supply adj chain near3<br>manage\$4 and data and<br>server and network   | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2008/11/18<br>15:00 |
| S7  | 2467 | supply adj chain near3<br>manage\$4 and data and<br>server and (network or<br>internet or router)  | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2008/11/18<br>15:04 |
| S8  | 865  | supply adj chain near3<br>manage\$4 and data and<br>server and (network or<br>internet or router) and trad<br>\$3 and entit\$3                         | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2008/11/18<br>15:05 |
| S9  | 779  | supply adj chain near3<br>manage\$4 and data and<br>server and (network or<br>internet or router) and trad<br>\$3 and entit\$3 and first and<br>second | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2008/11/18<br>15:05 |

|     |     |  |  |     |    |                     |
|-----|-----|--|--|-----|----|---------------------|
| S10 | 560 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6  | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/11/18<br>15:06 |
| S11 | 341 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (@ad<"20030829" or @rlad<"20030829")   | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/11/18<br>15:10 |
| S12 | 340 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and (@ad<"20030829" or @rlad<"20030829")               | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/11/18<br>15:12 |
| S13 | 158 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and remind\$3 and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/11/18<br>15:13 |

|     |     |   |   |     |    |                  |
|-----|-----|---|---|-----|----|------------------|
| S14 | 275 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and (@ad< "20030829" or @rlad< "20030829")               | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:14 |
| S15 | 93  | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and apparatus and (@ad< "20030829" or @rlad< "20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:17 |
| S16 | 156 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and remind\$3 and (@ad< "20030829" or @rlad< "20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:17 |



|     |     |  |   |     |    |                  |
|-----|-----|--|---|-----|----|------------------|
| S17 | 156 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and remind\$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine\$2 or component or product or unit or module or middleware or middle adj ware) and (@ad< "20030829" or @riad< "20030829")  | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:19 |
| S18 | 156 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and remind\$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine\$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic \$ or history or data or pattern or facts or info or record or file or information or particulars or element or detail\$ or agreement or priority or priorit\$ or criteri | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:22 |

|     |     |  |  |     |    |                     |
|-----|-----|--|--|-----|----|---------------------|
|     |     | \$2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and (@ad<"20030829" or @riad<"20030829")   |  |     |    |                     |
| S19 | 110 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad\$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis\$2 or individualiz\$2 or configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and remind\$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine\$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic\$ or history or data or pattern or facts or info or record or file or information or particulars or element or detail\$ or agreement or priority or priorit\$ or criteri\$2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom\$2 near3 detail or bill near3 lading or manifest near3 detail or freight and value or receipt near3 shipment) and trad\$3 near3 partner and (@ad<"20030829" or @riad<"20030829") | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/11/18<br>15:31 |

|     |     |  |   |     |    |                  |
|-----|-----|--|---|-----|----|------------------|
| S20 | 109 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and (email or fax or facsimile or data adj exchange) and remind\$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine\$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic \$ or history or data or pattern or facts or info or record or file or information or particulars or element or detail\$ or agreement or priority or priorit\$ or criteri \$2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom \$2 near3 detail or bill near3 lading or manifest near3 detail or freight and value or receipt near3 shipment) and trad\$3 near3 partner and expir\$5 and (@ad< "20030829" or @rlad< "20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:32 |
| S21 | 110 | supply adj chain near3 manage\$4 and data and server and (network or internet or router) and trad \$3 and entit\$3 and first and second and regist\$6 and (s format\$3 or reformat\$4 or structur\$3 or restructur\$3 or arrang\$5 or reconfigur\$5 or tailor\$3 or customiz\$4 or customis\$4 or personaliz\$2 or personalis\$2 or individualis \$2 or individualiz\$2 or configur\$4 or layout) and  | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:33 |

|     |   |  |  |     |    |                     |
|-----|---|--|--|-----|----|---------------------|
|     |   | (email or fax or facsimile or data adj exchange) and remind\$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine\$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic \$ or history or data or pattern or facts or info or record or file or information or particulars or element or detail\$ or agreement or priority or priorit\$ or criteri \$2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom \$2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or freight and value or receipt near3 shipment) and trad\$3 near3 partner and expir\$5 and (@ad<"20030829" or @rlad<"20030829") |  |     |    |                     |
| S22 | 2 | "20020099598"  | US-PGPUB;<br>USPAT; FPRS;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/05/11<br>14:03 |

5/ 12/ 2009 9:57:45 PM

C:\ Documents and Settings\ Janderson3\ My Documents\ EAST\ Workspaces\ rce 10-788430.wsp